




PUKY
READY FOR LIFE.

PUKYPLAY
PUKYRIDE
2026|EN



CONTENT

PUKYPLAY



MY FIRST PUKY	3
TRAILY.	3
New PUKYLINO	4
New WUTSCH.	5
PUKYMOTO.	6



BALANCE BIKE	7
New LR M	7
LR M CLASSIC	8
LRL	9
New LRL CLASSIC	10
LRXL.	11
LR XL CLASSIC	12
New LR LIGHT	13
LR TRAIL PRO.	14
New PUKY NEXT	15



SCOOTER	16
PUKY PUSH.	16
R1	17
R1 CLASSIC.	17
R07L.	18

PUKYRIDE



YOUKE	19
YOUKE 12	19
YOUKE 12 CLASSIC.	20
YOUKE 16	21
YOUKE 16 CLASSIC.	22
YOUKE 18	23
YOUKE 18 CLASSIC.	24



LS-PRO	25
New LS-PRO 14.	25
New LS-PRO 16.	26
New LS-PRO 18.	27
LS-PRO 20	28
LS-PRO 24.	29
LS-PRO 26.	30



CYKE	31
CYKE 20	31
CYKE 24	32
CYKE 26	33



SKYRIDE	34
SKYRIDE 20	34
SKYRIDE 24	35
SKYRIDE 26	36


ACCESSORIES



ACCESSORIES	37
HELMET	37
LIGHTNING SET (LED)	37
New ALU BIKE RACK.	38
New MUDGUARD.	38
New BASKETS	39
TRAINING WHEELS.	39
CARRYING STRAP	39
HAND PUMP	39
BICYCLE TRAINING AID	39
New PUKY NEXT CONVERSION KIT	39
SAFETY FLAG	40
BELLS	40
SAFETY LOCKS	40
DOLL SEAT CARRY	40

PRODUCT OVERVIEW 41

PUKY AWARDS



TRAILY



TRAILY

- 3-in-1 product – long usage period (walker, toy transport vehicle, and trailer in one product)
- Stable and secure – provides reliable support for a child's first steps. The vehicle's geometry ensures maximum stability.
- Height-adjustable push bar
- Shock-absorbing handle grip
- Individually adjustable single-wheel resistance
- Removable transport storage compartment made of washable textile
- Comprehensive package – includes all necessary components to use the product in its different modes (excl. towing vehicle PUKYLINO or WUTSCH)
- Whisper wheels
- Impact-resistant powder coating
- Made in Germany
- 3,4 kg**



6617



Trailer coupling included in delivery



6618



Optimal support for the first steps

TRAILY WUTSCH BUNDLE

- *BASIC FEATURES like TRAILY*
- Bundle consisting of WUTSCH and TRAILY
- Made in Germany
- 5,8 kg**




3036



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
TRAILY	71 x 39 x 23	0,13	3,4	4,0	LR150/35	LR150/35
TRAILY BUNDLE	72,5 x 42,5 x 41	0,13	5,8	6,8	LR150/35	LR150/35



* = Seat position from the ground (cm) · ** = Weight · *** = Weight (vehicle incl. packaging)

PUKYLINO



PUKYLINO

- Ergonomically designed seat with knee recess – gives the child a secure foothold and provides support for children's running movements
- Safety handlebar grips
- Built-in steering limit with lock
- Whisper wheels
- Impact-resistant powder coating
- **NEW: with Crash pad**
- Only suitable for indoors
- Made in Germany & GS-tested
- 2.3 kg**



3039



3038

G 18 Swivel bell



9844

ADDITIONAL ACCESSORIES from page 37

PUKYLINO BUNDLE

- *BASIC FEATURES like PUKYLINO*
- basket made from flexible plastic (safe & flexible, as there is no splintering, breaking, or sharp edges; weather-resistant & durable)
- Child-friendly swivel bell
- 2,4 kg**



3013



TECHNICAL DATA

Model	L x W x H	m³	kg**	kg***	F-wheel	R-wheel
PUKYLINO	53 x 28 x 18	0,03	2,3	2,6	LR150/35	LR150/35
PUKYLINO BUNDLE	53 x 28 x 18	0,03	2,4	2,7	LR150/35	LR150/35





WUTSCH

- Ergonomically designed seat with carrying handle and knee recess
- Swing axle
- Safety handlebar grips
- Built-in steering limit with lock
- Whisper wheels
- Impact-resistant powder coating
- Suitable for indoors and outdoors
- **NEW: with Crash pad**
- Made in Germany & GS-tested
- 2.4 kg**



3044



3045

CHAOS BASKET S

basket made from flexible plastic



9122

ADDITIONAL ACCESSORIES

from page 37

WUTSCH BUNDLE

- *BASIC FEATURES like WUTSCH*
- Basket made from flexible plastic (safe & flexible, as there is no splintering, breaking, or sharp edges; weather-resistant & durable)
- Child-friendly swivel bell
- 2,5 kg**



3037



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
WUTSCH	57 x 30 x 18	0,03	2,4	2,8	LR150/35	
WUTSCH BUNDLE	57 x 30 x 18	0,03	2,5	2,9	LR150/35	



PUKYMOTO



PUKYMOTO

- Intelligent seat adjustment above the rear axle (Smart-Turn technology)
- Ergonomic design
- Safety handlebar grips
- Built-in steering limit with lock
- Whisper wheel
- Impact-resistant powder coating
- Ergonomically designed seat with carrying handle and knee recess
- Suitable for indoors and outdoors
- Made in Germany & GS-tested
- 2.7 kg**



3042



3043

CHAOS BASKET S basket made from flexible plastic



9122

G 18 Swivel bell



9844

ADDITIONAL ACCESSORIES from page 37

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
PUKYMOTO	57 x 30 x 18	0,03	2,7	3,0	LR225	LR150/35



LR M



LR M

- Frame with low step
- Running board
- Special balance bike saddles
- Crash pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- **NEW: Now with side stand**
- Impact-resistant powder coating
- High-quality EVA foam tyres
- Made in Germany & GS-tested
- 3.5 kg**



3076



3077



3078

PUKY HELMET S removable light module



9608

KS Safety lock



9433

ADDITIONAL ACCESSORIES from page 37



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR M	74 x 13 x 44	0,04	3,5	4,2	LR215/50S	



* = Seat position from the ground (cm) · ** = Weight · *** = Weight (vehicle incl. packaging)

LR M CLASSIC



LR M CLASSIC

- Frame with low step
- Running board
- Special balance bike saddles
- Crash pad
- Woven basket made from plastic (no splinters or breaking; no sharp edges)
- Side stand
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- High-quality EVA foam tyres
- Impact-resistant powder coating
- Made in Germany & GS-tested
- 3.5 kg**



4093



4094

PUKY HELMET S

removable light module



9575

LOCKSTAR

with settable number code



9437

ADDITIONAL ACCESSORIES

from page 37



Woven basket made from flexible plastic

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LRM CLASSIC	74 x 13 x 44	0,04	3,5	4,2		LR215/50S



LRL



LRL

- Frame with low step
- Running board
- Special balance bike saddles
- Brake system suitable for children
- Crash pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Pneumatic comfort wheels with brown wall design
- Side stand
- Impact-resistant powder coating
- Made in Germany & GS-tested
- 5.0 kg**



3093



3094



Pneumatic comfort wheels
in skin wall design



Child-friendly
braking system

PUKY HELMET S removable light module



9608

CARRY Doll seat




9013

ADDITIONAL ACCESSORIES from page 37

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR 1	81 x 13 x 62	0,07	5,0	6,4	50-203 (12 1/2 x 2.00)	



* = Seat position from the ground (cm) · ** = Weight (without basket) · *** = Weight (vehicle incl. packaging)

L R L CLASSIC



L R L CLASSIC

- Frame with low step-through
- Footboard
- Special balance bike saddle
- Child-friendly braking system
- Handlebar pad
- Woven basket made from plastic (no splinters or breaking; no sharp edges)
- Safety handlebar grips with impact protection
- Height-adjustable saddle and handlebar
- Impact-resistant powder coating
- Pneumatic comfort tires
- Kickstand
- Impact-resistant powder coating
- Made in Germany & GS-tested
- 5,0 kg**



3100



3101

BUDDY Carrying strap



9420

G 20 Swivel bell




9437

ADDITIONAL ACCESSORIES from page 37

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
L R L CLASSIC	81 x 13 x 62	0,07	5,0	6,5	47-203 (12 1/2 x 1,75)	



LR XL



LR XL

- Frame with low step
- Running board
- Special balance bike saddles
- Pneumatic tires with brown sidewall
- Crash pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Side stand
- V-brake (rear) with child-friendly brake handle
- Specially adjustable geometry for bigger/tall children
- Made in Germany & GS-tested
- 5.2 kg**



3092

PUKY HELMET S

removable light module



9608

BUDDY

Carrying strap



9420

ADDITIONAL ACCESSORIES

from page 37



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR XL	96 x 18 x 60	0,10	5,2	6,7	62-203 (12 1/2 x 2.40)	



* = Seat position from the ground (cm) · ** = Weight (without basket) · *** = Weight (vehicle incl. packaging)

LR XL CLASSIC



LR XL CLASSIC

- Frame with low step
- Running board
- Special balance bike saddles
- Pneumatic spoked wheels
- Crash pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Side stand
- V-brake (rear) with child-friendly brake handle
- Specially adjustable geometry for bigger/tall children
- Woven basket made from flexible plastic
- Child-friendly swivel bell
- Made in Germany & GS-tested
- 5.0 kg**



4096



4153

PUKY HELMET S

removable light module



9610

LOCKSTAR

with settable number code



9436

ADDITIONAL ACCESSORIES

from page 37



Woven basket made from flexible plastic

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR XL CLASSIC	96 x 18 x 60	0,10	5,0	6,6	50-203 (12 1/2 x 2.00)	



LR LIGHT

New



LR LIGHT

- Lightweight aluminium frame with low step
- Running board
- Special learner bike saddle with height adjustment
- Pneumatic wheels in skin wall design
- Crash pad
- Safety handlebar grips with impact protection
- Side stand
- V-brake (rear) with child-friendly brake handle
- Impact-resistant powder coating
- Made in Germany & GS-tested
- 3,6 kg**



4154



4142

PUKY HELMET S

removable light module



9586

KS

Safety cable lock



9433

ADDITIONAL ACCESSORIES

from page 37

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR LIGHT	96 x 18 x 60	0,10	3,6	5,1	50-203 (12 1/2 x 2.00)	



* = Seat position from the ground (cm) · ** = Weight (without basket) · *** = Weight (vehicle incl. packaging)

LR TRAIL PRO



LR TRAIL PRO


- Lightweight aluminium frame with rear wheel suspension
- Removable PEGs made from aluminium
- Special learner bike saddle with height adjustment
- Extra-wide pneumatic knobby tyres (12 x 2,25)
- Crash pad
- Safety handlebar grips with impact protection
- Impact-resistant powder coating
- V-brake (rear) with child-friendly brake handle
- Number plate with the number 1
- Made in Germany
- 4.1 kg**



4143



4136



Aluminium frame with rear suspension



Removable PEGs made from aluminium

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LR TRAIL PRO	88 x 16 x 58	0,07	4,1	5,5	50-203 (12 1/2 x 2,00)	

BUDDY

Carrying strap



9420

ADDITIONAL ACCESSORIES

from page 37




PUKY NEXT

New



PUKY NEXT

- Growing balance bike (12" to 14")
- Innovative adjustment and customization options for long-lasting use
- FlipChips allow switching between 12" and 14" wheels
- Patented handlebar stem (3-dimensionally adjustable)
- Footboard
- Extra-wide handlebar for optimal control with colored brake lever
- V-brake (rear)
- Ultra-light nylon frame
- Special balance bike saddle
- Height-adjustable saddle and handlebar
- Pneumatic tires
- Safety handlebar grips with impact protection
- Side stand
- GS-tested
- 12": 3.8 kg** / 14": 4.1 kg**



4150
PUKY NEXT 12" sand (4150) – available from Q4/2025

UPSIZE SET

Conversion kit from 12" to 14", including FlipChip, exclusively for PUKY NEXT



9124

DOWNSIZE SET

Conversion kit from 14" to 12", exclusively for PUKY NEXT



9126

ADDITIONAL ACCESSORIES

from page 37





PUKY NEXT BUNDLE

- BASIS FEATURES like PUKY NEXT
- Set consisting of PUKY NEXT frame, 12" wheelset, 14" wheelset, and FlipChips
- 12": 3.8 kg** / 14": 4.1 kg**



4148



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
PUKY NEXT 12"	81 x 13 x 52	0,06	3,8	5,2	50-203 (12½ x 2 ¼)	
PUKY NEXT 14"	81 x 13 x 52	0,06	4,1	5,9		57-254 (14 x 2 ¼)
PUKY NEXT BUNDLE	81 x 13 x 52	0,06	3,8/4,1	7,9	50-203 (12½ x 2 ¼) / 57-254 (14 x 2 ¼)	

* = Seat position from the ground (cm) · ** = Weight (without basket) · *** = Weight (vehicle incl. packaging)

PUKY PUSH



PUKY PUSH

- Folding mechanism
- Height-adjustable handlebar
- Optional straight-ahead mode
- Kick foot brake
- Non-slip 2K deck
- Removable fender to protect the steering mechanism
- Three wheels for good riding stability
- LED tyres (front and rear)
- GS tested
- 3,2 kg**



Easy to transport thanks to the space-saving folding mechanism



LED tyres (front and rear)



5203



5202



5201

CHAOS BASKET M

basket made from flexible plastic



9120

BUDDY

Carrying strap



9420

ADDITIONAL ACCESSORIES

from page 37



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
PUKY PUSH	58 x 23,5 x 30	0,04	3,2	4,2	120/24	80/30



R1



R1

- Soft comfort tyres
- Ball bearing-mounted steering
- Handlebar with impact protection, height-adjustable
- Safety handlebar grips
- Running board
- Impact-resistant powder coating
- Made in Germany & GS-tested
- 3.3 kg**



5097



5096



5098

R1 CLASSIC

- BASIC FEATURES like R1
- Woven basket made from flexible plastic
- 3,3 kg**

CHAOS BASKET M

basket made from flexible plastic



9120

BUDDY

Carrying strap



9420


ADDITIONAL ACCESSORIES

from page 37



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
R1	75 x 19 x 50	0,07	3,3	4,2	LR215/50S	LR120/30S
R1 CLASSIC	75 x 19 x 50	0,07	3,3	4,4	LR215/50S	LR120/30S



* = Seat position from the ground (cm) · ** = Weight (without basket) · *** = Weight (vehicle incl. packaging)

R 07L



R 07L

- Pneumatic wheels in skin wall design
- Ball bearing-mounted spoked wheels and steering
- V-brake (rear)
- Height-adjustable handlebar
- Dual density handles
- Running board
- Side stands
- Impact-resistant powder coating
- Made in Germany
- 6,4 kg**



5401



5402



MUDGUARD SET

Suitable for R 07L



9456

PUKY HELMET M

with rotating adjustment system



9607

ADDITIONAL ACCESSORIES

from page 37



TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
R 07L	115 x 15 x 62	0,11	6,4	8,2	50-203 (12 1/2 x 2.00)	



YOUKE 12



YOUKE 12

- Lightweight, high-quality frame made of AL6061(T6) aluminum
- Unicrown steel fork with 1-inch steerer tube
- Lightweight aluminum rims
- Coaster brake
- Standard-compliant and child-friendly front V-brake with adjustable brake lever
- Wide aluminum handlebar with high rise for optimal control
- Ergonomically designed, ultra-light children's saddle with integrated post
- Child-oriented ergonomics
- Low step-through frame
- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Fully enclosed chain guard
- Side stand
- Impact-resistant powder coating
- 28T / 14T gear
- Crank length 89 mm
- 7.2 kg**



4155



4156



4157

CHAOS CONTAINER M Bike rack



9130

SAFETY FLAG for bicycles



9227


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 12	93 x 18 x 56	0,09	7,2	8,5	47-203 (12 1/2 x 1.75)	



28T / 14T
89 mm



YOUKE 12 CLASSIC



YOUKE 12 CLASSIC

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Enclosed chain guard
- Side stand
- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Unicrown fork made from steel
- Lightweight aluminum rims
- Coaster brake
- Front wheel V-brake suitable for children
- Lightweight aluminum crank
- Wide handlebar made from lightweight aluminum
- Specially developed, comfortable, and very lightweight children's saddle with an integrated seat post
- Adjustable shaft stem for extended use
- Child-oriented ergonomics
- Woven basket made from flexible plastic
- Luggage rack with tension strap
- Impact-resistant powder coating
- 28T / 14T gear
- Crank length 89 mm
- 7.2 kg**



4126



4127

PUKY HELMET M

removable light module



9611

LOCKSTAR

with settable number code



9436

ADDITIONAL ACCESSORIES

from page 37




Woven basket made from flexible plastic

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 12 CLASSIC	93 x 18 x 56	0,09	7,2	8,8	47-203 (12 1/2 x 1.75)	

ALU
MINIUM

LIGHT
WEIGHT



28T / 14T
89 mm

44-53



YOUKE 16



YOUKE 16

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Unicrown fork made from steel with 1-inch steerer tube
- Lightweight aluminum rims
- Coaster brake
- Standard-compliant and child-friendly front V-brake
- with adjustable brake lever
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight children's saddle with an integrated seat post
- Child-oriented ergonomics
- Low step-through frame
- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Enclosed chain guard
- Side stand
- Impact-resistant powder coating
- 28T / 15T gear
- Crank length 102 mm
- 8.2 kg*



4231



4239



4237

CHAOS CONTAINER L Bike rack



9136

SAFETY FLAG for bicycles



9228


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 16	109 x 18 x 63	0,12	8,2	9,9	47-305 (16 x 1.75)	



28T / 15T
102 mm



YOUKE 16 CLASSIC



YOUKE 16 CLASSIC

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Unicrown fork made from steel with 1-inch steerer tube
- Lightweight aluminum rims
- Coaster brake
- Standard-compliant and child-friendly front V-brake
- with adjustable brake lever
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight children's saddle with an integrated seat post
- Child-oriented ergonomics
- Low step-through frame
- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Enclosed chain guard
- Side stand
- Impact-resistant powder coating
- Woven handlebar basket made from flexible plastic (no splintering or breaking; no sharp edges)
- Luggage rack with tension strap
- 28T / 15T gear
- Crank length 102 mm
- 8.2 kg**



4240



4241



Woven basket made from flexible plastic

PUKY HELMET M

removable light module



9585

LOCKSTAR

with settable number code



9437

ADDITIONAL ACCESSORIES


from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 16 CLASSIC	109 x 18 x 63	0,12	8,2	10,2	47-305 (16 x 1.75)	



28T / 15T
102 mm

49-58



YOUKE 18



YOUKE 18

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Unicrown fork made from steel with 1-inch steerer tube
- Lightweight aluminum rims
- Coaster brake
- Standard-compliant and child-friendly front V-brake
- with adjustable brake lever
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight children's saddle with an integrated seat post
- Child-oriented ergonomics
- Low step-through frame
- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Enclosed chain guard
- Side stand
- Impact-resistant powder coating
- 28T / 15T gear
- Crank length 114 mm
- 8,7 kg**



4350



4351



4352

SAFETY FLAG for bicycles



9229

KS Safety cable lock



9433


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 18	119 x 20 x 70	0,16	8,7	10,8	47-355 (18 x 1,75)	



28T / 15T
114 mm



YOUKE 18 CLASSIC



YOUKE 18 CLASSIC

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Unicrown fork made from steel with 1-inch steerer tube
- Lightweight aluminum rims
- Coaster brake
- Standard-compliant and child-friendly front V-brake
- with adjustable brake lever
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight children's saddle with an integrated seat post
- Child-oriented ergonomics
- Low step-through frame
- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Non-slip pedals with an additional reflector
- Enclosed chain guard
- Side stand
- Impact-resistant powder coating
- Woven handlebar basket made from flexible plastic (no splintering or breaking; no sharp edges)
- Luggage rack with tension strap
- 28T / 15T gear
- Crank length 114 mm
- 8,7 kg**



4339



4340

PUKY HELMET M

removable light module



9611

LUMI

LED lighting set



9021

ADDITIONAL ACCESSORIES


from page 37



Woven basket made from flexible plastic

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
YOUKE 18 CLASSIC	119 x 20 x 70	0,16	8,7	11,1	47-355 (18 x 1,75)	



5+

< 60 kg

49-58

28T / 15T
114 mm

52-61



LS-PRO 14

New



LS-PRO 14

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- Standard-compliant and child-friendly V-brakes for front and rear wheel
- Ergonomically adapted and adjustable brake levers (color-coded for visual differentiation between front and rear brake)
- Freewheel – crank position freely rotatable for optimal pedal positioning
- Lightweight Ahead stem
- Wide and high aluminum handlebar for optimal control
- Specially developed and very lightweight children's saddle with integrated aluminum seat post
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- PUKY Safety Set: Bell, Safety handlebar grips, front and rear reflectors, pedals with third reflector, lightweight enclosed chain guard, side stand
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 28T / 15T gear
- Crank length 89 mm
- 5.3 kg**

New



4432

New



4433

New



4434

ALU BIKE RACK with lashing straps



9478

MUDGUARD SET 14 easy to assemble



9481


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT
5,3 kg

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 14	101 x 18 x 75	0,14	5,3	8,3	40-254 (14 x 1.50)	



3+

< 60 kg

42-54

28T / 15T
89 mm

45-67



LS-PRO 16



LS-PRO 16

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- Standard-compliant and child-friendly V-brakes for front and rear wheel
- Ergonomically adapted and adjustable brake levers (color-coded for visual differentiation between front and rear brake)
- Freewheel – crank position freely rotatable for optimal pedal positioning
- Lightweight Ahead stem
- Wide and high aluminum handlebar for optimal control
- Specially developed and very lightweight children's saddle with integrated aluminum seat post
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- PUKY Safety Set: Bell, Safety handlebar grips, front and rear reflectors, pedals with third reflector, lightweight enclosed chain guard, side stand
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 28T / 15T gear
- Crank length 89 mm
- 5.5 kg**



4501



4485



4486

ALU BIKE RACK with lashing straps



9468

MUDGUARD SET 16 easy to assemble



9457

ADDITIONAL ACCESSORIES from page 37

LS-PRO 16-2 FLOWMATIC

- BASIC FEATURES like LS-PRO 16
- Lightweight 16 x 1.5 off-road tyres in skin wall design
- 2-speed automatic gearbox (Flowmatic) - automatically changes to second gear from a speed of approx. 8 km/h
- 28T / 15T gear
- Crank length 89 mm
- 6,4 kg**




4502

ALU MINIMUM

LIGHT WEIGHT 5,5 kg

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 16-1	118 x 18 x 73	0,15	5,5	8,5	40-305 (16 x 1.50)	
LS-PRO 16-2 FLOWMATIC	118 x 18 x 73	0,15	6,4	9,5	40-305 (16 x 1.50)	



28T / 15T
89 mm



LS-PRO 18



LS-PRO 18

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- Standard-compliant and child-friendly V-brakes for front and rear wheel
- Ergonomically adapted and adjustable brake levers (color-coded for visual differentiation between front and rear brake)
- Freewheel – crank position freely rotatable for optimal pedal positioning
- Lightweight Ahead stem
- Wide and high aluminum handlebar for optimal control
- Specially developed and very lightweight children's saddle with integrated aluminum seat post
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- PUKY Safety Set: Bell, Safety handlebar grips, front and rear reflectors, pedals with third reflector, lightweight enclosed chain guard, side stand
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 28T / 15T gear
- Crank length 102 mm
- 6.0 kg**



4487



4488



4489

ALU BIKE RACK with lashing straps



9469

MUDGUARD SET 18 easy to assemble



9458

ADDITIONAL ACCESSORIES from page 37

LS-PRO 18-2 FLOWMATIC

- **BASIC FEATURES like LS-PRO 18**
- Lightweight 18 x 1.5 off-road tyres in skin wall design
- 2-speed automatic gearbox (Flowmatic) - automatically changes to second gear from a speed of approx. 8 km/h
- 28T / 15T gear
- Crank length 102 mm
- 6,9 kg**




4504

ALU
MINIUM

LIGHT
WEIGHT
6,0 kg

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 18-1	119 x 19 x 82	0,18	6,0	8,6	40-355 (18 x 1.50)	
LS-PRO 18-2 FLOWMATIC	119 x 19 x 82	0,18	6,9	9,9	40-355 (18 x 1.50)	



28T / 15T
102 mm



LS-PRO 20



LS-PRO 20-7


- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- V-brakes for front and rear wheel
- Adjustable brake levers
- 7-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Twist grip shifter with gear indicator
- Lightweight Ahead stem
- Wide aluminum handlebar for optimal control
- Patented aluminum seat post with maximum extension indicator
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 32T / 13-28T gear
- Crank length 127 mm
- 7.8 kg**



4490



4491



Rotating grip shifter with speed indication



4492

MUDGUARD SET 20

easy to assemble



9465

ALU BIKE RACK

with lashing straps



9470

ADDITIONAL ACCESSORIES


from page 37

ALU MINIMUM

LIGHT WEIGHT 7,8 kg

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 20-7	119 x 23 x 61	0,16	7,8	10,6	40-406 (20 x 1.50)	



32T / 13-28T
127 mm

59-71



LS-PRO 24



LS-PRO 24-8

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- V-brakes for front and rear wheel
- Adjustable brake levers
- 8-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Twist grip shifter with gear indicator
- Lightweight Ahead stem
- Wide aluminum handlebar for optimal control
- Patented aluminum seat post with maximum extension indicator
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 32T / 11-34T gear
- Crank length 152 mm
- 8.9 kg**



4493



4494



4495



Rotating grip shifter with speed indication

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 24-8	119 x 23 x 61	0,16	8,9	12,0	40-507 (24 x 1.50)	

MUDGUARD SET 24

easy to assemble



9466

LUMI

LED lighting set




9023

ADDITIONAL ACCESSORIES

from page 37

ALU MINIMUM
LIGHT WEIGHT
8,9 kg



32T / 11-34T
152 mm



LS-PRO 26



LS-PRO 26-8

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch aluminum steerer tube
- Lightweight aluminum rims
- V-brakes for front and rear wheel
- Adjustable brake levers
- 8-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Twist grip shifter with gear indicator
- Lightweight Ahead stem
- Wide aluminum handlebar for optimal control
- Patented aluminum seat post with maximum extension indicator
- Semi-integrated Ahead headset
- Child-oriented ergonomics
- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors
- Impact-resistant powder coating
- Mudguards and aluminum luggage rack available as accessories
- 32T / 11-34T gear
- Crank length 152 mm
- 9.6 kg**



4496



4497



4498



Rotating grip shifter with speed indication

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
LS-PRO 26-8	145 x 24 x 79	0,27	9,6	13,0	40-559 (26 x 1.50)	

MUDGUARD SET 26


easy to assemble



9467

ALU BIKE RACK

with lashing straps




9477

ADDITIONAL ACCESSORIES

from page 37

ALU
MINIUM

LIGHT
WEIGHT
9,6 kg



32T / 11-34T
152 mm

75-93





CYKE 20



CYKE 20-7 ACTIVE

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- All-terrain tires with reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 7-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Thumb tap trigger with gear indicator and ergonomically optimized shifters
- Specially developed, comfortable, and very lightweight saddle for children
- Patented aluminum seat post
- Semi-integrated headset
- Child-oriented ergonomics
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Impact-resistant powder coating
- Side stand
- Bell
- Non-slip pedals
- Aluminum luggage rack available as an accessory
- 32T / 13-28T gear
- Crank length 127 mm
- 10 kg**



Adjustable quill stem for long-lasting use

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
CYKE 20-7 ACTIVE	119 x 23 x 61	0,16	10,0	12,6	50-406 (20 x 2.00)	



4460



4461



4466

PUKY HELMET M

removable light module



9607

RACK

suitable for CYKE 20




9470

ADDITIONAL ACCESSORIES

from page 37

ALU
MINIUM

LIGHT
WEIGHT



32T / 13-28T
127 mm

59-71



CYKE 24



CYKE 24-8 ACTIVE

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- Reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 8-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Thumb tap trigger with gear indicator and ergonomically optimized shifters
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight saddle for children
- Patented aluminum seat post with maximum extension indicator
- Semi-integrated headset
- Child-oriented ergonomics
- Impact-resistant powder coating
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Side stand
- Bell
- Non-slip pedals
- Aluminum luggage rack available as an accessory
- 32 T / 11-34 T gear
- Crank length 152 mm
- 11 kg**



4467



4468



4469



Ergonomic and child-friendly gear shifters with indicator

PUKY HELMET M removable light module



9607

ALU BIKE RACK suitable for CYKE 24



9471


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
CYKE 24-8 ACTIVE	134 x 23 x 70	0,21	11,0	13,7	54-507 (24 x 2.00)	



32T / 11-34T
152 mm

67-82



CYKE 26



CYKE 24-8 ACTIVE

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- Reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 8-speed derailleur gearing
- Lightweight aluminum crank and chain case
- Thumb tap trigger with gear indicator and ergonomically optimized shifters
- Wide aluminum handlebar for optimal control
- Specially developed, comfortable, and very lightweight saddle for children
- Patented aluminum seat post with maximum extension indicator
- Semi-integrated headset
- Child-oriented ergonomics
- Impact-resistant powder coating
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Side stand
- Bell
- Non-slip pedals
- Aluminum luggage rack available as an accessory
- 32 T / 11-34 T gear
- Crank length 152 mm
- 11,5 kg**



Ergonomic and child-friendly gear shifters with indicator



4470




PUKY HELMET M removable light module



9607

ALU BIKE RACK suitable for CYKE 26



9477


ADDITIONAL ACCESSORIES from page 37

ALU
MINIUM

LIGHT
WEIGHT

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
CYKE 26-8 ACTIVE	145 x 24 x 79	0,27	11,5	15,1	54-559 (26 x 2.00)	



32T / 11-34T
152 mm

75-93



SKYRIDE 20



SKYRIDE 20-3

- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- Tires with reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 3-speed freewheel hub gearing
- Lightweight aluminum crank and enclosed chain guard
- Twist grip shifter with gear indicator
- Wide, rearward-swept aluminum handlebar for optimal control and a comfortable riding position
- Specially developed, comfortable, and lightweight saddle
- Aluminum seat post with maximum extension indicator
- Semi-integrated headset
- Child-oriented ergonomics
- Impact-resistant powder coating
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Aluminum luggage rack with tension strap
- Side stand
- Bell
- 38T / 19T gear
- Crank length 127 mm
- 11.3 kg**



4474



4475



Rotating grip shifter
with speed indication

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
SKYRIDE 20-3	119 x 23 x 61	0,16	11,3	13,8	47-406 (20 x 1.75)	

PUKY HELMET M

removable light module



9587

LOCKSTAR


with settable number code



9436

ADDITIONAL ACCESSORIES

from page 37



SKYRIDE 24



SKYRIDE 24-3


- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- Tires with reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 3-speed freewheel hub gearing
- Lightweight aluminum crank and enclosed chain guard
- Twist grip shifter with gear indicator
- Wide, rearward-swept aluminum handlebar for optimal control and a comfortable riding position
- Specially developed, comfortable, and lightweight saddle
- Aluminum seat post with maximum extension indicator
- Semi-integrated headset
- Child-oriented ergonomics
- Impact-resistant powder coating
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Aluminum luggage rack with tension strap
- Side stand
- Bell
- 38 T / 19 T gear
- Crank length 152 mm
- 12.1 kg**



4477



4478



ALU BIKE RACK
with lashing straps

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
SKYRIDE 24-3	119 x 23 x 61	0,16	12,1	14,8	47-507 (24 x 1.75)	

PUKY HELMET M

removable light module



9585

LOCKSTAR


with settable number code



9437

ADDITIONAL ACCESSORIES

from page 37



38T / 19T
152 mm



SKYRIDE 26



SKYRIDE 26-7


- Lightweight, high-quality frame made from AL6061(T6) aluminum
- Lightweight fork made from AL6061(T6) aluminum with 1 1/8-inch steerer tube
- Lightweight aluminum rims
- Tires with reflective stripes for better visibility
- V-brakes for front and rear wheel
- Adjustable brake levers
- 7-speed freewheel hub gearing
- Lightweight aluminum crank and enclosed chain guard
- Twist grip shifter with gear indicator
- Wide, rearward-swept aluminum handlebar for optimal control and a comfortable riding position
- Specially developed, comfortable, and lightweight saddle
- Aluminum seat post with maximum extension indicator
- Semi-integrated headset
- Child-oriented ergonomics
- Impact-resistant powder coating
- StVZO-compliant lighting system featuring a hub dynamo, LED headlamp, and rear parking light
- Aluminum luggage rack with tension strap
- Side stand
- Bell
- 38T / 19T gear
- Crank length 152 mm
- 12.8 kg**



4482



4483



StVZO-compliant lighting system

TECHNICAL DATA

Model	L x W x H	m ³	kg**	kg***	F-wheel	R-wheel
SKYRIDE 26-7	145 x 24 x 79	0,27	12,8	16,2	47-559 (26 x 1.75)	

PUKY HELMET M

removable light module



9611

LOCKSTAR


with settable number code



9436

ADDITIONAL ACCESSORIES

from page 37



38T / 19T
152 mm

73-88



PUKY HELMET S

*SU: 2

- Size S (48–55 cm)
- Optimum fit and positive locking thanks to rotating adjustment system (single-handed operation)
- Optimum ventilation thanks to 17 venting holes
- Integrated insect protection
- Outer shell made of durable and tough polycarbonate
- Removable light module (rear) with 3 modes
- 360° visibility thanks to 4 reflector stickers
- Only 220 g



9575



9586




9610



9608



Reflector stickers



Removable light module

PUKY HELMET M

*SU: 2

- Size M (54–58 cm)
- Optimum fit and positive locking thanks to rotating adjustment system (single-handed operation)
- Optimum ventilation thanks to 17 venting holes
- Integrated insect protection
- Outer shell made of durable and tough polycarbonate
- Removable light module (rear) with 3 modes
- 360° visibility thanks to 4 reflector stickers
- Only 260 g



9585



9587




9611



9607



Reflector stickers



Removable light module

LUMI

*SU: 2

- LED lighting set comprising a front headlamp and rear light
- Full StVZO (German road traffic licensing regulations) approval
- Tool-free assembly: holder is suitable for Ø 18 mm - 35 mm
- Can be charged with a micro-USB cable (included in the delivery scope)
- Front/rear light with side visibility
- With battery and charging level display
- White LED front headlamp: rotating 360° holder
- Splash water protection acc. to IPX4
- High-quality aluminium casing lithium battery 3.7 V/1,500 mAh
- Red LED rear light: settable beam angle, lithium polymer battery 3.7 V/240 mAh



9020




9021



9022



9023



ALU BIKE RACK 14

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 14
- Aluminum mounting struts
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 15 kg



9478



ALU BIKE RACK 16

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 16
- Aluminum mounting struts
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 15 kg



9468



ALU BIKE RACK 18

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 18
- Aluminum mounting struts
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 15 kg



9469



ALU BIKE RACK 20

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 20 and CYKE 20
- Aluminum mounting struts
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 18 kg



9470



ALU BIKE RACK 24

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 24 and CYKE 24
- Aluminum mounting strut
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 18 kg



9471



ALU BIKE RACK 26

*SU: 2

- Lightweight and modern aluminum luggage rack with tension strap for LS-PRO 26 and CYKE 26
- Aluminum mounting struts
- Impact-resistant powder coating
- ISO 11243:2016 max. load capacity 18 kg



9477



LS-PRO MUDGUARD SET 14

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 14



9481



LS-PRO MUDGUARD SET 16

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 16



9457



LS-PRO MUDGUARD SET 18

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 18



9458



LS-PRO MUDGUARD SET 20

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 20



9465



LS-PRO MUDGUARD SET 24

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 24



9466



LS-PRO MUDGUARD SET 26

*SU: 2

- High-quality and lightweight plastic edge protectors on front and rear mudguards
- Easy installation
- For LS-PRO 26



9467



MUDGUARD SET R 07L

*SU: 2

- Front and rear mudguard set
- For R 07L



9456

CHAOS BASKET S

*SU: 3

- Woven (handmade) handlebar basket made of flexible plastic for WUTSCH, FITSCH, PUKYMOTO and CEETY



9122

CHAOS BASKET M

*SU: 3

- Woven (handmade) handlebar basket made of flexible plastic for 12" bikes STEEL, STEEL CLASSIC, YOUKE and for all PUKY balance bikes



9120

CHAOS BASKET L

*SU: 3

- Woven (handmade) handlebar basket made of flexible plastic for PUKY bikes STEEL, STEEL CLASSIC, YOUKE (not STEEL 12, STEEL CLASSIC 12, YOUKE 12")



9121

CHAOS CONTAINER M

*SU: 3

- Luggage rack basket
- Suitable for 12" bicycles STEEL, STEEL CLASSIC, YOUKE, as well as for the aluminum luggage rack set 14"
- Rubber-coated steel



9130

CHAOS CONTAINER L

*SU: 3

- Luggage rack basket
- Suitable for STEEL and YOUKE 16"/18" bicycles, as well as for the aluminum luggage rack set 16"/18"
- Rubber-coated steel



9136

ROOKIE WHEELS 12

*SU: 2

- Training wheels for PUKY Bikes 12"
- Easy to assemble with the included screws



9424

ROOKIE WHEELS 14/16/18

*SU: 2

- Training wheels compatible with all PUKY YOUKE 16/18, YOUKE CLASSIC 16/18, CYKE bikes 16/18, as well as LS-PRO 14, 16 & 18 bikes
- Easy installation with included screws



9427

BUDDY

*SU: 4

- Carrying Strap for all balance bikes, scooters and SPEED US (ONE/TWO)
- Easy to assemble
- Incl. storage bag
- Water-repellent, durable polyester



9420

HP25

*SU: 3

- Mini handpump (Schrader valve)
- Suitable for all tricycles, balance bikes and bicycles



9473

BICYCLE TRAINING AID

*SU: 1

- Bicycle training aid for all PUKY bikes from 12 to 18 inches
- Saddle with integrated push bar for easy and quick installation
- ALU shim for use with CYKE 16 & 18 and LS-PRO 14, 16 & 18



9480

CONVERSION KIT 12/14

*SU: 1

- Exclusive conversion set for PUKY NEXT
- Thanks to FlipChip technology, the PUKY NEXT can be converted between 12" and 14" wheels
- Available as an upgrade set (12" → 14" - 9124) or as a downgrade set (14" → 12" - 9126)



9124 (12" → 14")

9126 (14" → 12")

SAFETY FLAG

*SU: 2

- Safety flag for bicycles
- Mountable on the rear axle
- Divisible in the middle
- High: approx. 110 cm



9227



9228



9229

G18

*SU: 5

- Swivel bell for PUKYLINO, FITSCH, WUTSCH, PUKYMOTO and tricycles
- Ø 18 mm



9843



9845



9844

G20

*SU: 5

- Swivel bell for TRAILY, balance bikes (except LR LIGHT, LR LIGHT BR, LR RIDE) and scooters (except R 07 L, JOKER, SPEED US)
- Ø 20 mm



9853



9855



9854

KS

*SU: 3

- Safety cable lock with adjustable number lock
- Length: 120 cm, Ø 10 mm



9431



9432



9433

LOCKSTAR

*SU: 2

- Cable lock with freely selectable 4-digit numeric code
- Length: 70 cm, Ø 15 mm



9437



9436

DOLL SEAT CARRY

*SU: 2

- Doll seat (doll not included) for balance bikes, bicycles and scooters (incl. model 2017; except R 07L)
- Easy to assemble with velcro
- Made from water-repellent, durable polyester



9013



TRAILY 6617   4 015731 066177	TRAILY 6618   4 015731 066184	TRAILY WUTSCH BUNDLE 3036   4 015731 030369	PUKYLINO 3039   4 015731 030390	PUKYLINO 3038   4 015731 030383	PUKYLINO BUNDLE 3013   4 015731 030130
WUTSCH 3044   4 015731 030444	WUTSCH 3045   4 015731 030451	WUTSCH BUNDLE 3037   4 015731 030376	PUKYMOTO 3042   4 015731 030420	PUKYMOTO 3043   4 015731 030437	
LRM 3076   4 015731 030765	LRM 3077   4 015731 030772	LRM 3078   4 015731 030789	LRM CLASSIC 4093   4 015731 040931	LRM CLASSIC 4094   4 015731 040948	LRL 3093   4 015731 030932
LRL 3094   4 015731 040948	LRL CLASSIC 3100   4 015731 031007	LRL CLASSIC 3101   4 015731 031014	LR XL 3092   4 015731 030925	LR XL CLASSIC 4096   4 015731 040962	LR XL CLASSIC 4153   4 015731 041532
LR LIGHT 4154   4 015731 041549	LR LIGHT 4142   4 015731 041426	LR TRAIL PRO 4143   4 015731 041433	LR TRAIL PRO 4136   4 015731 041365	PUKY NEXT 4150   4 015731 041501	PUKY NEXT 4146   4 015731 041464
PUKY NEXT 4148   4 015731 041488	PUKY NEXT 4147   4 015731 041471	PUKY NEXT BUNDLE 4149   4 015731 041495			

PUSH
5201



16



PUSH
5202



16



PUSH
5203



16



R1
5097



17



R1
5096



17



R1 CLASSIC
5098



17



R 07L
5401



18



R 07L
5402



18



YOUKE 12
4155



19



YOUKE 12
4156



19



YOUKE 12
4157



19



YOUKE 12 CLASSIC
4126



20



YOUKE 12 CLASSIC
4127



20



YOUKE 16
4231



21



YOUKE 16
4239



21



YOUKE 16
4237



21



YOUKE 16 CLASSIC
4240



22



YOUKE 16 CLASSIC
4241



22



YOUKE 18
4350



23



YOUKE 18
4351



23



YOUKE 18
4352



23



YOUKE 18 CLASSIC
4339



24



YOUKE 18 CLASSIC
4340



24



LS-PRO 14
4432



25



LS-PRO 14
4433



25



LS-PRO 14
4434



25



LS-PRO 16
4501



28



LS-PRO 16
4485



28



LS-PRO 16
4486



28



LS-PRO 16 FLOWMATIC
4502



28



LS-PRO 18
4487



27



LS-PRO 18
4488



27



LS-PRO 18
4489



27



LS-PRO 18 FLOWMATIC
4504



27



LS-PRO 20-7
4490



28



LS-PRO 20-7
4491



28



LS-PRO 20-7
4492



28



LS-PRO 24-8
4493



29



LS-PRO 24-8
4494



29



LS-PRO 24-8
4495



29



LS-PRO 26-8
4496



30



LS-PRO 26-8
4497



30



LS-PRO 26-8
4498



30



CYKE 20-7
4460



31



CYKE 20-7
4461



31



CYKE 20-7
4466



31



CYKE 24-8
4467



32



CYKE 24-8
4468



32



CYKE 24-8
4469



32



CYKE 26-8
4470



33



SKYRIDE 20-3
4474



34



SKYRIDE 20-3
4475



34



SKYRIDE 24-3
4477



35



SKYRIDE 24-3
4478



35



SKYRIDE 26-7
4482



36



SKYRIDE 26-7
4483



36



PUKY
READY FOR LIFE.

PUKY GmbH & Co. KG
Fortunastr. 11 · 42489 Wulfen · Germany · info@puky.de

FIND US! @PUKY Official · www.puky.de